

Corticosteroid testing results of samples submitted from clinical cases

	A	B	C	D	E	F	G	H
	Sample ID #	Medication(s)	Route	Dose	Site	Post-treatment sampling interval	Concentration	Comments
1								
2								
3	13901	Betamethasone	IA	30 mg betamethasone	Left medial femoropatellar joint	5 days	None detected	
4				30 mg betamethasone	Right medial femoropatellar joint			
5								
6	13932	Isoflupredone	IM	60 mg Isoflupredone	Sacrum	12 days	None detected	
7		Betamethasone		37 mg Betamethasone				
8								
9	13987	Isoflupredone	IM	10 mg Isoflupredone	IM, site not specified	48 hours	Isoflupredone 104.5 pg/ml	
10								
11								
12	29778	Triamcinolone	IA	7.5 mg triamcinolone	Left radiocarpal joint	6 days	None detected	
13				7.5 mg triamcinolone	Right radiocarpal joint			
14								
15	29779	Methylprednisolone Isoflupredone	IM	200 mg methylprednisolone	IM, site not specified	45 days	Isoflupredone--none detected Methylprednisolone--none detected	
16				60 mg isoflupredone				
17								
18	39620	Methylprednisolone	IA	40 mg	RF fetlock	7 days	Methylprednisolone 102 pg/ml	
19				80 mg	Left tibio-tarsal joint			
20								
21	40804	Methylprednisolone	IA	80 mg	Left tarso-metatarsal joint	7 days	Methylprednisolone 304 pg/ml	
22				80 mg	Right tarso-metatarsal joint			
23								
24	42350	Triamcinolone Hyvisc	IA	6 mg	RF fetlock	8 days	None detected	
25				6 mg	LF fetlock			
26								
27	42351	Triamcinolone Betamethasone Hyvisc	IA	6 mg triamcinolone mg betamethasone 12	L medial femorotibial joint	7 days	Betamethasone 41 pg/ml Triamcinolone 24.5 pg/ml	
28				6 mg triamcinolone mg betamethasone 12	R medial femorotibial joint			
29								
30	42531	Dexamethasone	IV	20 mg dexamethasone		48 hours	Dexamethasone 32.2 pg/ml	
31								
32	42532	Triamcinolone	IA	7.5 mg triamcinolone	Left tarso-metatarsal joint	7 days	Triamcinolone 51.9 pg/ml	
33				7.5 mg triamcinolone	Right tarso-metatarsal joint			
34								
35	42533	Triamcinolone	IA	7.5 mg triamcinolone	Left tarso-metatarsal joint	7 days	Triamcinolone 27.4 pg/ml	
36				7.5 mg triamcinolone	Right tarso-metatarsal joint			
37								
38	42534	Triamcinolone	IA	7.5 mg triamcinolone	Hyvisc Left fetlock joint	6 days	None detected	
39				7.5 mg triamcinolone	Hyvisc Right fetlock joint			
40								
41	42610	Methylprednisolone Isoflupredone	IM	200 mg methylprednisolone	Sacrum	18 days	None detected	
42				60 mg Isoflupredone			None detected	
43								

Corticosteroid testing results of samples submitted from clinical cases

	A	B	C	D	E	F	G	H
1	Sample ID #	Medication(s)	Route	Dose	Site	Post-treatment sampling interval	Concentration	Comments
44	42611	Methylprednisolone	IM	200 mg methylprednisolone	Whorlbone	17 days	Methylprednisolone 74.3 pg/ml	
45		Isoflupredone		30 mg isoflupredone			None detected	
46								
47	42786	Triamcinolone Methylprednisolone	IA	5 mg triamcinolone 140 mg methylprednisolone Hyvisc	Left medial femoropatellar joint	7 days	Methylprednisolone 426.7 pg/ml Triamcinolone 23.1 pg/ml	
48				5 mg triamcinolone 140 mg methylprednisolone Hyvisc	Right medial femoropatellar joint			
49				5 mg triamcinolone 50 mg methylprednisolone	Left tarso-metatarsal joint			
50				5 mg triamcinolone 50 mg methylprednisolone	Right tarso-metatarsal joint			
51								
52	42787	Triamcinolone Methylprednisolone	IA	10 mg triamcinolone 140 mg methylprednisolone Hyvisc	Left medial femoropatellar joint	7 days	Methylprednisolone 372.4 pg/ml Triamcinolone 59.6 pg/ml	
53				10 mg triamcinolone 140 mg methylprednisolone Hyvisc	Right medial femoropatellar joint			
54								
55	42809	Triamcinolone	IA	7.5 mg triamcinolone	Left tarso-metatarsal joint	72 hours	Triamcinolone 224.4 pg/ml	
56				7.5 mg triamcinolone	Right tarso-metatarsal joint			
57								
58	43013	Dexamethasone	IV	20 mg		48 hours	None detected	
59								
60								
61	43033	Triamcinolone	IA	7.5 mg triamcinolone	Fetlock joint	5 days	None detected	
62				Hyvisc				
63								
64	43034	Triamcinolone	IA	Triamcinolone 7.5 mg	Intercarpal joint	5 days	None detected	
65				Hyvisc				
66								
67	43076	Triamcinolone	IA	Triamcinolone 7.5 mg	Fetlock joint	7 days	None detected	
68				Hyvisc				
69								
70	43077	Triamcinolone	IA	Triamcinolone 7.5 mg	Radiocarpal joint	7 days	None detected	
71				Hyvisc				
72								
73	43078	Isoflupredone	IM	Isoflupredone 10 mg	IM, site not specified	48 hours	Isoflupredone 127.7 pg/ml	
74								
75								
76	43079	Isoflupredone	IM	Isoflupredone 10 mg	IM, site not specified	48 hours	Isoflupredone 124.7 pg/ml	
77								
78								
79	43230	Betamethasone	IM	Betamethasone 37 mg	IM, site not specified	21 days	Betamethasone--None detected	
80		Isoflupredone		Isoflupredone 60 mg			Isoflupredone--None detected	
81								
82	43231	Methylprednisolone	IM	Methylprednisolone 200 mg	IM, site not specified	44 days	Isoflupredone--None detected	
83		Isoflupredone		Isoflupredone 60 mg			Methylprednisolone--None detected	
84								

Corticosteroid testing results of samples submitted from clinical cases

	A	B	C	D	E	F	G	H
1	Sample ID #	Medication(s)	Route	Dose	Site	Post-treatment sampling interval	Concentration	Comments
85	43232	Triamcinolone	IM	Triamcinolone 20 mg	IM, site not specified	6 days	Isoflupredone--None detected Triamcinolone--None detected	
86		Isoflupredone		Isoflupredone 60 mg				
87								
88	43766	Isoflupredone	IM	Isoflupredone 12 mg	Sacrum	6 days	Isoflupredone--None detected Triamcinolone 217.7 pg/ml	
89		Triamcinolone	IA	Triamcinolone 10 mg	Left hock			
90				Triamcinolone 10 mg	Right hock			
91								
92	43767	Methylprednisolone	IA	Methylprednisolone mg total body dose 200	Right medial femorotibial joint	8 days	Methylprednisolone 493.6 pg/ml	
93					Left medial femorotibial joint			
94					Right tarsometatarsal joint			
95					Right distal intertarsal joint			
96					Left tarsometatarsal joint			
97	Left distal intertarsal joint							
98								
99	43768	Methylprednisolone	IA	Methylprednisolone mg total body dose 200	Right medial femorotibial joint	9 days	Methylprednisolone 167 pg/ml	
100					Left medial femorotibial joint			
101					Right tarsometatarsal joint			
102					Right distal intertarsal joint			
103					Left tarsometatarsal joint			
104	Left distal intertarsal joint							
105								
106	43931	Isoflupredone Triamcinolone	IA	Isoflupredone 6 mg	Right femoropatellar joint	6 days	Isoflupredone--None detected Triamcinolone--119.5 pg/ml	
107				Isoflupredone 6 mg	Left femoropatellar joint			
108				Triamcinolone 7.5 mg	Right tarsometatarsal joint			
109				Triamcinolone 7.5 mg	Left tarsometatarsal joint			
110								
111	43932	Isoflupredone Triamcinolone	IA	Isoflupredone 6 mg	Right femoropatellar joint	5 days	Isoflupredone--None detected Triamcinolone--188.3 pg/ml	
112				Isoflupredone 6 mg	Left femoropatellar joint			
113				Triamcinolone 7.5 mg	Right tarsometatarsal joint			
114				Triamcinolone 7.5 mg	Left tarsometatarsal joint			
115								
116	47500	Betamethasone Triamcinolone	IA	Betamethasone 3 mg Triamcinolone 2.5 mg Hyaluronic Acid 20 mg	Left tarsometatarsal joint	6 days	Betamethasone--None detected Triamcinolone--36.7 pg/ml	
117				Betamethasone 3 mg Triamcinolone 2.5 mg Hyaluronic Acid 20 mg	Right tarsometatarsal joint			
118				Betamethasone 3 mg Triamcinolone 2.5 mg Hyaluronic Acid 50 mg	Left tibiotarsal joint			
119				Betamethasone 3 mg Triamcinolone 2.5 mg Hyaluronic Acid 50 mg	Right tibiotarsal joint			
120								

Corticosteroid testing results of samples submitted from clinical cases

	A	B	C	D	E	F	G	H	
1	Sample ID #	Medication(s)	Route	Dose	Site	Post-treatment sampling interval	Concentration	Comments	
121	47501	Betamethasone	IA	Betamethasone 3 mg Amikacin 125 mg Hyaluronic Acid 50 mg	Left front fetlock	6 days	Betamethasone--None detected	One fetlock significantly inflamed.	
122				Betamethasone 3 mg Amikacin 125 mg Hyaluronic Acid 50 mg	Right front				
123	22760	Methylprednisolone	IA	Methylprednisolone 40 mg	Left distal intertarsal joint	12 days	Methylprednisolone 161 pg/ml		
124				Methylprednisolone 40 mg	Right distal intertarsal joint				
125	22753	Methylprednisolone	IA	Methylprednisolone 40 mg	Left tarsometatarsal joint	18 days	Methylprednisolone 117 pg/ml		
126				Methylprednisolone 40 mg	Right tarsometatarsal joint				
127				Methylprednisolone 40 mg	Left femorotibial joint				
128				Methylprednisolone 40 mg	Right femorotibial joint				
129				Methylprednisolone 80 mg	Right intercarpal joint				
130				Methylprednisolone 80 mg	Right radiocarpal joint				
131				Methylprednisolone 80 mg	Left front fetlock joint				
132	21951	Triamcinolone hexacetonide	IA	Triamcinolone hexacetonide 2 mg	Radiocarpal joint	6 days	Triamcinolone 15 pg/ml		
133				Triamcinolone hexacetonide 2 mg	Intercarpal joint				
134	67500	Triamcinolone hexacetonide	IA	Triamcinolone hexacetonide 2.5 mg	Left distal intertarsal joint	6 days	Triamcinolone < 10 pg/ml		
135				Triamcinolone hexacetonide 2.5 mg	Left tarsometatarsal joint				
136				Triamcinolone hexacetonide 2.5 mg	Right distal intertarsal joint				
137				Triamcinolone hexacetonide 2.5 mg	Right tarsometatarsal joint				
138	43963	Dexamethasone isonicotinate (Voren)	IM	Dexamethasone isonicotinate 5 mg		3 days	Dexamethasone 39 pg/ml		
139	62801	Methylprednisolone	IA	Methylprednisolone 200 mg	Right coxafemoral joint--ultrasound guided injection	33 days	None detected		
140									
141	24138	Betamethasone	SQ	Betamethasone 6 mg	LF suspensory	10 days	Betamethasone 21 pg/ml		
142					Betamethasone 6 mg				RF suspensory
143	24139	Betamethasone	IA	Betamethasone 6 mg	LF fetlock	10 days	None detected		
144					Betamethasone 6 mg				RF fetlock
145	24137	Betamethasone	IA	Betamethasone 6 mg	Right intercarpal joint	10 days	None detected		
146					Betamethasone 6 mg				Left intercarpal joint
147					Betamethasone 6 mg				Left radiocarpal joint
148	24136	Betamethasone	IA	Betamethasone 6 mg	Left intercarpal joint	10 days	None detected		
149					Betamethasone 6 mg				Right intercarpal joint
150	24136	Betamethasone	IA	Betamethasone 6 mg	Left intercarpal joint	10 days	None detected		
151					Betamethasone 6 mg				Right intercarpal joint
152									
153									
154									
155									
156									
157									
158									
159									

Corticosteroid testing results of samples submitted from clinical cases

	A	B	C	D	E	F	G	H
1	Sample ID #	Medication(s)	Route	Dose	Site	Post-treatment sampling interval	Concentration	Comments
160	24135	Betamethasone	IA	Betamethasone 6 mg	LF fetlock	37 days	None detected	
161				Betamethasone 6 mg	RF fetlock			
162				Betamethasone 6 mg	Left intercarpal joint			
163				Betamethasone 6 mg	Right intercarpal joint			
164								
165	46177	Triamcinolone Isoflupredone Hyvisc	IA	Triamcinolone 5 mg	Left medial femorotibial joint	7 days	None detected	
166				Isoflupredone 4 mg				
167				Hyvisc				
168				Triamcinolone 5 mg	Right Medial femorotibial joint			
169				Isoflupredone 4 mg				
170				Hyvisc	Left distal intertarsal joint			
171				Triamcinolone 5 mg				
172				Isoflupredone 5 mg				
173	Triamcinolone 5 mg	Right distal intertarsal joint						
174	Isoflupredone 5 mg							
175								
176	24141	Betamethasone	SQ	Betamethasone 6 mg	LF suspensory	14 days	Betamethasone 8 pg/ml	
177				Betamethasone 6 mg	RF suspensory			
178								
179	24142	Betamethasone	IA	Betamethasone 6 mg	Left tarsometatarsal joint	11 days	Betamethasone 6 pg/ml	
180				Betamethasone 6 mg	Right tarsometatarsal joint			
181				Betamethasone 6 mg	Left fetlock			
182				Betamethasone 6 mg	Right fetlock			
183								
184	63462	Betamethasone	IA	Betamethasone 6 mg	Left fetlock	6 days	Betamethasone 28 pg/ml	
185				Betamethasone 6 mg	Right fetlock			
186								
187	24164	Methylprednisolone	IA/peri-articular	Methylprednisolone 200 mg	In 12 divided doses into 12 invertebral facets. Ultrasound guided administration	10 days	Methylprednisolone 426 pg/ml	
188								
189	24165	Methylprednisolone	IA	Methylprednisolone 200 mg	Right coxofemoral joint--ultrasound guided	21 days	Methylprednisolone 421 pg/ml	
190								
191	24166	Methylprednisolone Triamcinolone	IA	Methylprednisolone 40 mg	Left tarsometatarsal joint	41 days	None detected	
192				Methylprednisolone 40 mg	Right tarsometatarsal joint			
193				Triamcinolone 10 mg	Left femorotibial joint			
194				Triamcinolone 10 mg	Right femorotibial joint			
195								

Corticosteroid testing results of samples submitted from clinical cases

	A	B	C	D	E	F	G	H
1	Sample ID #	Medication(s)	Route	Dose	Site	Post-treatment sampling interval	Concentration	Comments
196	24167	Methylprednisolone Triamcinolone	IA	Methylprednisolone 40 mg	Left tarsometatarsal joint	41 days	None detected	
197				Methylprednisolone 40 mg	Right tarsometatarsal joint			
198				Triamcinolone 10 mg	Right medial femoropatellar joint			
199				Triamcinolone 10 mg	Left medial femoropatellar joint			
200				Triamcinolone 10 mg	Left hind fetlock joint			
201			Intra- thecal	Triamcinolone 5 mg	Left hind digital sheath	31 days		
202				Triamcinolone 5 mg	Right hind digital sheath			
203								
204	24168	Methylprednisolone	IA	Methylprednisolone 40 mg	Left tarsometatarsal joint	37 days	Methylprednisolone 31.3 pg/ml	
205				Methylprednisolone 40 mg	Right tarsometatarsal joint			
206								
207	24169	Triamcinolone	IA	Triamcinolone 7.5 mg	Left radiocarpal joint	36 days	None detected	
208				Triamcinolone 7.5 mg	Left proximal intercarpal joint			
209				Triamcinolone 7.5 mg	Right proximal intercarpal joint			
210								
211	24170	Triamcinolone	Intra- thecal	Triamcinolone 12.5 mg	Left bicipital bursa	33 days	None detected	
212				Triamcinolone 12.5 mg	Right bicipital bursa			
213								
214	24171	Triamcinolone	IA	Triamcinolone 10 mg	Left front fetlock joint	31 days	None detected	
215				Triamcinolone 10 mg	Right front fetlock joint			
216								
217	24172	Isoflupredone Methylprednisolone	IA/IM	Isoflupredone 60 mg	Sacrum	21 days	Isoflupredone--none detected Methylprednisolone 5.5 pg/ml	
218				Methylprednisolone 160 mg				
219		Methylprednisolone	IA	Methylprednisolone 60 mg	Left tarsometatarsal joint			
220				Methylprednisolone 60 mg	Right tarsometatarsal joint			
221								
222	24173	Isoflupredone Methylprednisolone	IA/IM	Isoflupredone 60 mg	Sacrum	21 days	Isoflupredone 5.5 pg/ml Methylprednisolone 23.6 pg/ml	
223				Methylprednisolone 280 mg				
224								
225	24174	Triamcinolone	IA	Triamcinolone 10 mg	Left front fetlock joint	15 days	None detected	
226				Triamcinolone 10 mg	Right front fetlock joint			
227								
228	24175	Methylprednisolone	IA	Methylprednisolone 60 mg	Left tarsometatarsal joint	15 days	Methylprednisolone 122 pg/ml	
229				Methylprednisolone 60 mg	Right tarsometatarsal joint			
230								
231	24176	Triamcinolone	IA	Triamcinolone 10 mg	Left proximal intercarpal joint	15 days	Isoflupredone--none detected Methylprednisolone 181.5 pg/ml Triamcinolone--none detected	
232		Isoflupredone Methylprednisolone	IA	Isoflupredone 30 mg	Right sacroiliac joint			
233				Methylprednisolone 24 mg				
234								

Corticosteroid testing results of samples submitted from clinical cases

	A	B	C	D	E	F	G	H
1	Sample ID #	Medication(s)	Route	Dose	Site	Post-treatment sampling interval	Concentration	Comments
235	24177	Betamethasone Methylprednisolone	IA	Betamethasone 6 mg	Left front fetlock joint	13 days	Methylprednisolone 147.8 pg/ml	
236				Betamethasone 6 mg	Right front fetlock joint			
237				Methylprednisolone 40 mg	Left medial femoropatellar joint			
238				Methylprednisolone 40 mg	Right medial femoropatellar joint			
239				Methylprednisolone 40 mg	Left distal intertarsal joint			
240				Methylprednisolone 40 mg	Right distal intertarsal joint			
241				Methylprednisolone 40 mg	Left tarsometatarsal joint			
242				Methylprednisolone 40 mg	Right tarsometatarsal joint			
243								
244	24178	Betamethasone Methylprednisolone	IA	Betamethasone 6 mg	Left radiocarpal joint	13 days	Methylprednisolone 111.2 pg/ml	
245				Betamethasone 6 mg	Left intercarpal joint			
246				Methylprednisolone 60 mg	Left tarsometatarsal joint			
247				Methylprednisolone 60 mg	Right tarsometatarsal joint			
248								
249	24179	Methylprednisolone	IA	Methylprednisolone 50 mg	Left medial femoropatellar joint	13 days	Methylprednisolone 43.3 pg/ml	
250				Methylprednisolone 50 mg	Right medial femoropatellar joint			
251				Methylprednisolone 50 mg	Left tarsometatarsal joint			
252				Methylprednisolone 50 mg	Right tarsometatarsal joint			
253								
254	24180	Triamcinolone	IA	Triamcinolone 10 mg	Left proximal intercarpal joint	11 days	None detected	
255				Triamcinolone 10 mg	Right proximal intercarpal joint			
256				Triamcinolone 5 mg	Right radiocarpal joint			
257								
258	24181	Triamcinolone	IA	Triamcinolone 10 mg	Left front fetlock joint	6 days	Triamcinolone 6 pg/ml	
259								
260	24182	Triamcinolone	IA	Triamcinolone 10 mg	Left tarsometatarsal joint	6 days	Triamcinolone 56.4 pg/ml	
261				Triamcinolone 10 mg	Right tarsometatarsal joint			
262								
263	24183	Methylprednisolone Triamcinolone	IA	Triamcinolone 5 mg	Left proximal intercarpal joint	3 days	Methylprednisolone 767.2 pg/ml Triamcinolone 32.3 pg/ml	
264				Triamcinolone 5 mg	Right proximal intercarpal joint			
265				Methylprednisolone 40 mg	Left front fetlock joint			
266				Methylprednisolone 40 mg	Right front fetlock joint			
267								
268	24198	Methylprednisolone	IA	Methylprednisolone 25 mg	Left tarsometatarsal joint	6 days	Methylprednisolone 64 pg/ml	
269				Methylprednisolone 25 mg	Left distal intertarsal joint			
270				Methylprednisolone 25 mg	Right tarsometatarsal joint			
271				Methylprednisolone 25 mg	Right distal intertarsal joint			
272								

Corticosteroid testing results of samples submitted from clinical cases

	A	B	C	D	E	F	G	H
1	Sample ID #	Medication(s)	Route	Dose	Site	Post-treatment sampling interval	Concentration	Comments
273	24199	Isoflupredone Methylprednisolone	IA	Isoflupredone 5 mg	Left stifle	6 days	Isoflupredone--none detected Methylprednisolone--300 pg/ml	
274				Isoflupredone 5 mg	Right stifle			
275				Methylprednisolone 50 mg	Left stifle			
276				Methylprednisolone 50 mg	Right stifle			
277								
278	24200	Methylprednisolone	IA	Methylprednisolone 30 mg	Upper carpal joint	6 days	None detected	
279				Methylprednisolone 30 mg	Lower carpal joint			
280								
281		Betamethasone	IA	Betamethasone 10 mg	Left stifle	28 days	None detected	
282				Betamethasone 10 mg	Right stifle			
283				Betamethasone 10 mg	Left distal intertarsal joint			
284				Betamethasone 10 mg	Right distal intertarsal joint			
285				Betamethasone 10 mg	Left tarsometatarsal joint			
286				Betamethasone 10 mg	Right tarsometatarsal joint			
287								
288		Methylprednisolone	IA	Methylprednisolone 25 mg	Left distal intertarsal joint	6 days	120 pg / ml	
289				Methylprednisolone 25 mg	Right distal intertarsal joint			
290				Methylprednisolone 25 mg	Left tarsometatarsal joint			
291				Methylprednisolone 25 mg	Right tarsometatarsal joint			
292								
293	60438	Isoflupredone Methylprednisolone Triamcinolone	SQ	Isoflupredone 8 mg	LF suspensory origin	22 days	Isoflupredone--none detected Triamcinolone--11 pg/ml Methylprednisolone--15 pg/ml	
294			SQ	Isoflupredone 8 mg	RF suspensory origin			
295			SQ	Triamcinolone 5 mg	LF suspensory origin			
296			SQ	Triamcinolone 5 mg	RF suspensory origin			
297			IA	Methylprednisolone 40 mg	Left tarsometatarsal joint			
298			IA	Methylprednisolone 40 mg	Right tarsometatarsal joint			
299								
300	24201	Methylprednisolone	IA	Methylprednisolone 25 mg	Left distal intertarsal joint	14 days	85 pg/ml	
301			IA	Methylprednisolone 25 mg	Right distal intertarsal joint			
302			IA	Methylprednisolone 25 mg	Left tarsometatarsal joint			
303			IA	Methylprednisolone 25 mg	Right tarsometatarsal joint			
304								
305	24204	Betamethasone Isoflupredone	IA	Betamethasone 15 mg	Left sacroiliac joint	6 days	Betamethasone 56 pg/ml Isoflupredone 110 pg/ml	
306			IA	Betamethasone 15 mg	Right sacroiliac joint			
307			IA	Isoflupredone 10 mg	Left sacroiliac joint			
308			IA	Isoflupredone 10 mg	Right sacroiliac joint			
309								

Corticosteroid testing results of samples submitted from clinical cases

	A	B	C	D	E	F	G	H
1	Sample ID #	Medication(s)	Route	Dose	Site	Post-treatment sampling interval	Concentration	Comments
310		Methylprednisolone	IA	Methylprednisolone 100 mg Hyaluronic Acid 100 mg	Stifle	17 days	Results pending	
311								
312	24205	Isoflupredone Methylprednisolone	IA	Methylprednisolone 25 mg	Left distal intertarsal joint	6 days	Isoflupredone--none detected Methylprednisolone--412 pg/ml	
313			IA	Methylprednisolone 25 mg	Right distal intertarsal joint			
314			IA	Methylprednisolone 25 mg	Left tarsometatarsal joint			
315			IA	Methylprednisolone 25 mg	Right tarsometatarsal joint			
316			IA	Isoflupredone 2.5 mg	Left distal intertarsal joint			
317			IA	Isoflupredone 2.5 mg	Right distal intertarsal joint			
318			IA	Isoflupredone 2.5 mg	Left tarsometatarsal joint			
319			IA	Isoflupredone 2.5 mg	Right tarsometatarsal joint			
320								
321	24206	Methylprednisolone	SQ	Methylprednisolone 100 mg	Suspensory origin	68 days	Methylprednisolone--133 pg/ml	
322								
323								
324	24207	Isoflupredone Methylprednisolone	IA	Methylprednisolone 25 mg	Left distal intertarsal joint	6 days	Isoflupredone--none detected Methylprednisolone--109 pg/ml	
325			IA	Methylprednisolone 25 mg	Right distal intertarsal joint			
326			IA	Methylprednisolone 25 mg	Left tarsometatarsal joint			
327			IA	Methylprednisolone 25 mg	Right tarsometatarsal joint			
328			IA	Isoflupredone 2.5 mg	Left distal intertarsal joint			
329			IA	Isoflupredone 2.5 mg	Right distal intertarsal joint			
330			IA	Isoflupredone 2.5 mg	Left tarsometatarsal joint			
331			IA	Isoflupredone 2.5 mg	Right tarsometatarsal joint			
332								
333	24244	Methylprednisolone Triamcinolone	IA	Methylprednisolone 50 mg	Left distal intertarsal joint	13 days--MPA 9 days--TCA	Methylprednisolone--1,591 pg/ml Triamcinolone 45 pg/ml	
334			IA	Methylprednisolone 50 mg	Right distal intertarsal joint			
335			IA	Methylprednisolone 50 mg	Left tarsometatarsal joint			
336			IA	Methylprednisolone 50 mg	Right tarsometatarsal joint			
337			IA	Triamcinolone 6 mg	Left medial femorotibial joint			
338			IA	Triamcinolone 6 mg	Right medial femorotibial joint			
339								
340	24208	Methylprednisolone Triamcinolone	IA	Methylprednisolone 50 mg	Left distal intertarsal joint	20 days-MPA 16 days--TCA	Methylprednisolone-378 pg/ml Triamcinolone--not detected	
341			IA	Methylprednisolone 50 mg	Right distal intertarsal joint			
342			IA	Methylprednisolone 50 mg	Left tarsometatarsal joint			
343			IA	Methylprednisolone 50 mg	Right tarsometatarsal joint			
344			IA	Triamcinolone 6 mg	Left medial femorotibial joint			
345			IA	Triamcinolone 6 mg	Right medial femorotibial joint			
346								
347								

Corticosteroid testing results of samples submitted from clinical cases

	A	B	C	D	E	F	G	H
1	Sample ID #	Medication(s)	Route	Dose	Site	Post-treatment sampling interval	Concentration	Comments
348	65795	Methylprednisolone	IA	Methylprednisolone 25 mg	Left distal intertarsal joint	14 days	Methylprednisolone-57.7 pg/ml	
349			IA	Methylprednisolone 25 mg	Right distal intertarsal joint			
350			IA	Methylprednisolone 25 mg	Left tarsometatarsal joint			
351			IA	Methylprednisolone 25 mg	Right tarsometatarsal joint			
352								
353	65793	Methylprednisolone	IA	Methylprednisolone 25 mg	Left distal intertarsal joint	6 days	Methylprednisolone--101 pg/ml	
354			IA	Methylprednisolone 25 mg	Right distal intertarsal joint			
355			IA	Methylprednisolone 25 mg	Left tarsometatarsal joint			
356			IA	Methylprednisolone 25 mg	Right tarsometatarsal joint			
357								
358	24242	Methylprednisolone	IA	Methylprednisolone 25 mg	Left distal intertarsal joint	6 days	Methylprednisolon--315 pg/ml	
359			IA	Methylprednisolone 25 mg	Right distal intertarsal joint			
360			IA	Methylprednisolone 25 mg	Left tarsometatarsal joint			
361			IA	Methylprednisolone 25 mg	Right tarsometatarsal joint			
362								
363	24243	Triamcinolone	SQ	Triamcinolone 60 mg	SQ over splint	2 days	Triamcinolone--673 pg/ml	
364								
365								
366								
367	75996	Methylprednisolone Triamcinolone	IA	Methylprednisolone 100 mg Triamcinolone (Kenalog) 5 mg	Left stifle	20 days	Methylprednisolone--115 pg/ml Triamcinolone--not detected	
368			IA	Methylprednisolone 100 mg Triamcinolone (Kenalog) 5 mg	Right stifle			
369			IA	Methylprednisolone 40 mg Triamcinolone (Kenalog) 5 mg	Left fetlock			
370			IA	Methylprednisolone 40 mg Triamcinolone (Kenalog) 5 mg	Right fetlock			
371								
372	24240	Isoflupredone Methylprednisolone	IA	Methylprednisolone 25 mg Isoflupredone 2.5 mg	Left distal intertarsal joint	6 days	Isoflupredone--not detected Methylprednisolone 277 pg/ml	
373			IA	Methylprednisolone 25 mg Isoflupredone 2.5 mg	Right distal intertarsal joint			
374			IA	Methylprednisolone 25 mg Isoflupredone 2.5 mg	Left tarsometatarsal joint			
375			IA	Methylprednisolone 25 mg Isoflupredone 2.5 mg	Right tarsometatarsal joint			
376								

Corticosteroid testing results of samples submitted from clinical cases

	A	B	C	D	E	F	G	H
1	Sample ID #	Medication(s)	Route	Dose	Site	Post-treatment sampling interval	Concentration	Comments
377	24241	Isoflupredone Methylprednisolone	IA	Methylprednisolone 50 mg Isoflupredone 10 mg	Left tarsometatarsal joint	6 days	Isoflupredone--not detected Methylprednisolone-251 pg/ml	
378			IA	Methylprednisolone 50 mg Isoflupredone 10 mg	Right tarsometatarsal joint			
379								
380	71268	Betamethasone Methylprednisolone	IA	Betamethasone 6 mg (Celestone) Methylprednisolone 40 mg (Depo Medrol) Amikacin 125 mg	Right distal intertarsal joint	37 days	Betamethasone--23.6 pg/ml Methylprednisolone--not detected	Serial samples from the same horse
381				Betamethasone 6 mg (Celestone) Methylprednisolone 40 mg (Depo Medrol) Amikacin 125 mg	Right tarsometatarsal joint			
382	71380	Betamethasone Methylprednisolone	IA	Betamethasone 6 mg (Celestone) Methylprednisolone 40 mg (Depo Medrol) Amikacin 125 mg	Right distal intertarsal joint	44 days	None detected	
383				Betamethasone 6 mg (Celestone) Methylprednisolone 40 mg (Depo Medrol) Amikacin 125 mg	Right tarsometatarsal joint			
384								
385	24237	Isoflupredone Methylprednisolone	IA	Isoflupredone 60 mg in 2 divided doses Methylprednisolone 200 mg in 2 divided doses	Left sacroiliac joint	14 days	Betamethasone--none detected Methylprednisolone-- 120 pg/ml	Serial samples from the same horse
386	24238	Isoflupredone Methylprednisolone	IA	Isoflupredone 60 mg in 2 divided doses Methylprednisolone 200 mg in 2 divided doses	Left sacroiliac joint	26 days	Betamethasone--none detected Methylprednisolone--16.6 pg/ml	
387	24239	Isoflupredone Methylprednisolone	IA	Isoflupredone 60 mg in 2 divided doses Methylprednisolone 200 mg in 2 divided doses	Left sacroiliac joint	40 days	Betamethasone--none detected Methylprednisolone--none detected	
388								
389	71348	Methylprednisolone	IA	Methylprednisolone 40 mg Amikacin 125 mg Hyaluronic Acid	Left front fetlock	15 days	Methylprednisolone 28.8 pg/ml	
390				Methylprednisolone 40 mg Amikacin 125 mg Hyaluronic Acid	Right front fetlock			
391								
392	24245	Triamcinolone	IA	Triamcinolone 10 mg	Left front fetlock	12 days	Triamcinolone-- 42 pg/ml	
393								
394								
395	181526	Methylprednisolone	IA	Methylprednisolone 40 mg	Left radiocarpal joint	30 days	None detected	
396				Methylprednisolone 40 mg	Left intercarpal joint			
397				Methylprednisolone 40 mg	Right radiocarpal joint			
398				Methylprednisolone 40 mg	Right intercarpal joint			
399								

Corticosteroid testing results of samples submitted from clinical cases

	A	B	C	D	E	F	G	H
1	Sample ID #	Medication(s)	Route	Dose	Site	Post-treatment sampling interval	Concentration	Comments
400	24248	Betamethasone	IA	Betamethasone 15 mg	Left femorotibial joint	6 days	None detected	
401				Betamethasone 15 mg	Right femorotibial joint			
402								
403	24247	Betamethasone	IA	Betamethasone 15 mg	Left femorotibial joint	6 days	Betamethasone 5 pg/ml	
404				Betamethasone 15 mg	Right femorotibial joint			
405								
406	24236	Betamethasone	IA	Betamethasone 7.5 mg	Left distal intertarsal joint	6 days	Betamethasone--106 pg/ml	
407				Betamethasone 7.5 mg	Left tarsometatarsal joint			
408				Betamethasone 7.5 mg	Right distal intertarsal joint			
409				Betamethasone 7.5 mg	Right tarsometatarsal joint			
410								
411	72554	Methylprednisolone	IA	Methylprednisolone 40 mg Amikacin 125 mg Hyaluronic acid	Left front fetlock	29 days	None detected	
412				Methylprednisolone 40 mg Amikacin 125 mg Hyaluronic acid	Right front fetlock			
413								
414	83516	Methylprednisolone	IA	Methylprednisolone 20 mg	Left tibiotarsal joint	1 day	426 pg/ml	
415				Methylprednisolone 20 mg	Left tarsometatarsal joint			
416				Methylprednisolone 20 mg	Right tibiotarsal joint			
417				Methylprednisolone 20 mg	Right tarsometatarsal joint			
418								
419	81871	Methylprednisolone	IA	Methylprednisolone 20 mg	Left front fetlock	4 days	47.8 pg/ml	
420				Methylprednisolone 20 mg	Right front fetlock			
421				Methylprednisolone 20 mg	Left tibiotarsal joint			
422				Methylprednisolone 20 mg	Left tarsometatarsal joint			
423				Methylprednisolone 20 mg	Right tibiotarsal joint			
424				Methylprednisolone 20 mg	Right tarsometatarsal joint			
425								
426	81872	Methylprednisolone	IA	Methylprednisolone 20 mg	Right radiocarpal joint	6 days	16.6 pg/ml	
427				Methylprednisolone 20 mg	Right intercarpal joint			
428				Methylprednisolone 20 mg	Left tibiotarsal joint			
429				Methylprednisolone 20 mg	Left tarsometatarsal joint			
430				Methylprednisolone 20 mg	Right tibiotarsal joint			
431				Methylprednisolone 20 mg	Right tarsometatarsal joint			
432								

Corticosteroid testing results of samples submitted from clinical cases

	A	B	C	D	E	F	G	H
1	Sample ID #	Medication(s)	Route	Dose	Site	Post-treatment sampling interval	Concentration	Comments
433	82587	Methylprednisolone	IA	Methylprednisolone 20 mg	Left radiocarpal joint	6 days	None detected	
434				Methylprednisolone 20 mg	Left intercarpal joint			
435				Methylprednisolone 20 mg	Right radiocarpal joint			
436				Methylprednisolone 20 mg	Right intercarpal joint			
437				Methylprednisolone 20 mg	Left fetlock			
438				Methylprednisolone 20 mg	Right fetlock			
439								
440	81544	Methylprednisolone	IA	Methylprednisolone 40 mg	Left tarsometatarsal joint	32 days	None detected	
441				Methylprednisolone 40 mg	Right tarsometatarsal joint			
442								
443	82673	Methylprednisolone Isoflupredone	IA	Methylprednisolone 20 mg	Right front fetlock	6 days	Methylprednisolone 21.5 pg/ml Isoflupredone: none detected	
444				Isoflupredone 6 mg	Right tibiotarsal joint			
445				Isoflupredone 2 mg	Right tarsometatarsal joint			
446				Isoflupredone 6 mg	Left tibiotarsal joint			
447				Isoflupredone 2 mg	Left tarsometatarsal joint			
448								
449	77839	Methylprednisolone	IA	Methylprednisolone 50 mg	Left sacroiliac joint	25 days	95.4 pg/ml	
450				Methylprednisolone 50 mg	Right sacroiliac joint			
451								
452	96379	Triamcinolone	IA	Triamcinolone 5 mg	Left front fetlock joint	6 days	19.8 pg/ml	
453				Triamcinolone 7.5 mg	Right radiocarpal joint			
454				Triamcinolone 7.5 mg	Right intercarpal joint			
455								
456	78110	Methylprednisolone Isoflupredone	IA	Methylprednisolone 80 mg Isoflupredone 60 mg	Sacroiliac joint	26 days	None detected	
457								
458	87073	Methylprednisolone Isoflupredone Triamcinolone	IA	Methylprednisolone 40 mg	Left tarsometatarsal joint	13 days	None detected	
459				Methylprednisolone 40 mg	Right tarsometatarsal joint			
460				Triamcinolone 9 mg	Left intercarpal joint			
461			SQ	Isoflupredone 10 mg	Left proximal suspensory ligament			
462				Isoflupredone 10 mg	Right proximal suspensory ligament			
463								
464	87074	Methylprednisolone	IA	Methylprednisolone 40 mg	Left tarsometatarsal joint	15 days	None detected	
465				Methylprednisolone 40 mg	Right tarsometatarsal joint			
466								
467	80570	Betamethasone Triamcinolone	IA	Betamethasone 9 mg	Left hind fetlock	7 days	Betamethasone: None detected Triamcinolone: 22.3 pg/ml	
468				Betamethasone 9 mg	Right hind fetlock			
469				Triamcinolone 9 mg	Left front fetlock			
470				Triamcinolone 9 mg	Right front fetlock			
471								
472	80680	Isoflupredone	IA	Isoflupredone 12 mg	Left stifle	8 days	None detected	
473				Isoflupredone 12 mg	Right stifle			
474								

Corticosteroid testing results of samples submitted from clinical cases

	A	B	C	D	E	F	G	H
1	Sample ID #	Medication(s)	Route	Dose	Site	Post-treatment sampling interval	Concentration	Comments
475	80869	Methylprednisolone	IA	Methylprednisolone 40 mg	Left tarsometatarsal joint	7 days	149.8 pg/ml	
476				Methylprednisolone 40 mg	Right tarsometatarsal joint			
477								
478	101999	Triamcinolone	IM	Triamcinolone 18 mg	Site not specified	9 days	None detected	
479								
480	80871	Dexamethasone Methylprednisolone Triamcinolone	IA	Methylprednisolone 40 mg	Left tarsometatarsal joint	22 days	Dexamethasone: None detected Methylprednisolone: 19.6 pg/ml Triamcinolone: None detected	
481				Methylprednisolone 40 mg	Right tarsometatarsal joint			
482				Dexamethasone 10 mg	Left stifle			
483				Triamcinolone 9 mg				
484				Dexamethasone 10 mg	Right stifle			
485	Triamcinolone 9 mg							
486								
487	80870	Methylprednisolone	IA	Methylprednisolone 40 mg	Left tarsometatarsal joint	21 days	Methylprednisolone: None detected	
488				Methylprednisolone 40 mg	Right tarsometatarsal joint			
489								